



# Safety Data Sheet acc. to OSHA HCS

Page 1/6

Date of issue: 04/16/2026


Reviewed on 04/16/2026

## 1 Identification

- **Product identifier:** RAD-5GAL-A
- **Trade name:** Attic Depot RadiantX (Component A)
- **Other means of identification**
- **Item number(s):** RAD-5GAL-A
- **SDS Number:** 630
- **Manufacturer/Supplier:**  
Attic Depot, LLC  
3627 Poplar Circle 101  
Conroe, TX 77304
- **Information department:** Tel: 832-379-5757
- **Emergency telephone number:**  
Hazmat Line: (888) 890-9049 /+1(656) 240-3099 (International number)

## 2 Hazard(s) identification

- **Classification of the substance or mixture:**  
This product is not classified as hazardous according to the Globally Harmonized System (GHS).
- **Label elements**
- **GHS label elements** Not Available
- **Signal word:** Not Available
- **Hazard statements:** Not Available
- **Information pertaining to particular dangers for man and environment:**
- **NFPA ratings (scale 0 - 4):**



Health = 0  
Fire = 1  
Reactivity = 0

## 3 Composition/information on ingredients

- **Chemical characterization:** Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

### · **Dangerous components:**

|           |                              |               |
|-----------|------------------------------|---------------|
| 2682-20-4 | 2-methyl-2H-isothiazol-3-one | ≥0.0015-<0.1% |
|-----------|------------------------------|---------------|

## 4 First-aid measures

- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Most important symptoms and effects, both acute and delayed:**  
No further relevant information available.

(Contd. on page 2)

— US —

# Safety Data Sheet

acc. to OSHA HCS

Date of issue: 04/16/2026

Reviewed on 04/16/2026

Trade name: Attic Depot RadiantX (Component A)

(Contd. of page 1)

- **Indication of any immediate medical attention and special treatment needed:**  
No further relevant information available.

## 5 Fire-fighting measures

- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture:** No further relevant information available.
- **Protective equipment:** No special measures required.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures:**  
Wear protective clothing.
- **Environmental precautions:**  
Dilute with plenty of water.  
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Protective Action Criteria for Chemicals**

- **PAC-1:**

|            |                                       |           |
|------------|---------------------------------------|-----------|
| 124-68-5   | 2-amino-2-methylpropanol              | 11 mg/m3  |
| 1336-21-6  | ammonia                               | 30 ppm    |
| 26172-55-4 | 5-chloro-2-methyl-2H-isothiazol-3-one | 0.3 mg/m3 |

- **PAC-2:**

|            |                                       |           |
|------------|---------------------------------------|-----------|
| 124-68-5   | 2-amino-2-methylpropanol              | 96 mg/m3  |
| 1336-21-6  | ammonia                               | 160 ppm   |
| 26172-55-4 | 5-chloro-2-methyl-2H-isothiazol-3-one | 1.8 mg/m3 |

- **PAC-3:**

|            |                                       |           |
|------------|---------------------------------------|-----------|
| 124-68-5   | 2-amino-2-methylpropanol              | 570 mg/m3 |
| 1336-21-6  | ammonia                               | 1100 ppm  |
| 26172-55-4 | 5-chloro-2-methyl-2H-isothiazol-3-one | 11 mg/m3  |

- **Reference to other sections:**

See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## 7 Handling and storage

- **Precautions for safe handling:** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.
- **Storage**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required
- **Further information about storage conditions:** None.
- **Specific end use(s):** No further relevant information available.

US

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Date of issue: 04/16/2026

Reviewed on 04/16/2026

Trade name: Attic Depot RadiantX (Component A)

(Contd. of page 2)

## 8 Exposure controls/personal protection

- **Components with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- **Additional information:** The lists that were valid during the creation were used as basis.

- **Appropriate engineering controls** No further data; see section 7.

- **Personal protective equipment**

- **General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.

- **Breathing equipment:** Use suitable respiratory protective device in case of insufficient ventilation.

- **Protection of hands:**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- **Material of gloves:**

Protective gloves not normally required. People with sensitive skin may prefer to wear water-proof gloves, such as rubber or neoprene, to avoid skin contact.

- **Eye protection:** Goggles recommended during refilling.

## 9 Physical and chemical properties

|                                                   |                                          |
|---------------------------------------------------|------------------------------------------|
| · <b>Color:</b>                                   | Cloudy                                   |
| · <b>Odor:</b>                                    | Sweetish                                 |
| · <b>Odor threshold:</b>                          | Not determined                           |
| · <b>Melting point/Melting range:</b>             | Undetermined                             |
| · <b>Boiling point/Boiling range:</b>             | 100 °C (212 °F)                          |
| · <b>Flammability:</b>                            | Not applicable                           |
| · <b>Explosion limits</b>                         |                                          |
| · <b>Lower:</b>                                   | Not determined                           |
| · <b>Upper:</b>                                   | Not determined                           |
| · <b>Flash point:</b>                             | >100 °C (>212 °F)                        |
| · <b>Decomposition temperature:</b>               | Not determined                           |
| · <b>pH-value at 20 °C (68 °F):</b>               | 7.4                                      |
| · <b>Viscosity:</b>                               |                                          |
| · <b>Kinematic:</b>                               | Not determined                           |
| · <b>Dynamic:</b>                                 | Not determined                           |
| · <b>Solubility in / Miscibility with</b>         |                                          |
| · <b>Water:</b>                                   | Fully miscible.                          |
| · <b>Partition coefficient (n-octanol/water):</b> | Not determined                           |
| · <b>Vapor pressure at 20 °C (68 °F):</b>         | 23 hPa (17.3 mm Hg)                      |
| · <b>Vapor pressure:</b>                          |                                          |
| · <b>Density at 20 °C (68 °F):</b>                | 1.01 g/cm <sup>3</sup> (8.42845 lbs/gal) |
| · <b>Relative density:</b>                        | Not determined                           |
| · <b>Vapor density at 20 °C (68 °F):</b>          | <1 AIR=1                                 |
| · <b>Particle characteristics</b>                 | Not applicable                           |

- **Other information**

- **Form:** Liquid

- **Important information on protection of health and environment, and on safety.**

- **Ignition temperature:**

Product is not selfigniting.

- **Danger of explosion:**

Product does not present an explosion hazard.

(Contd. on page 4)

US

# Safety Data Sheet

acc. to OSHA HCS

Date of issue: 04/16/2026

Reviewed on 04/16/2026

Trade name: Attic Depot RadiantX (Component A)

(Contd. of page 3)

- **Solvent content:**
- **VOC content:** 66.7 g/l / 0.56 lb/gal
- **Change in condition**
- **Evaporation rate at 20 °C (68 °F):** <1 BuOAc=1

## 10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

- **Information on toxicological effects:**
- **Acute toxicity**
- **Specific symptoms in biological assay:** No further relevant information available.
- **Primary irritant effect**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**  
The product is not subject to classification according to internally approved calculation methods for preparations:  
When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

## 12 Ecological information

- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability:** No further relevant information available.
- **Bioaccumulative potential:** No further relevant information available.
- **Mobility in soil:** No further relevant information available.
- **Other adverse effects:**
- **Additional ecological information**
- **General notes:**  
Water hazard class 1 (Self-assessment): slightly hazardous for water

(Contd. on page 5)

US

# Safety Data Sheet

acc. to OSHA HCS

Date of issue: 04/16/2026

Reviewed on 04/16/2026

Trade name: Attic Depot RadiantX (Component A)

(Contd. of page 4)

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

## 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:** Smaller quantities can be disposed of with household waste.
- **Uncleaned packagings**
- **Recommendation:**  
Place in a sealed container and label as waste. Place in a safe area, and comply with all federal, state, provincial and local regulations for disposal.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

## 14 Transport information

- |                                                                                   |                |
|-----------------------------------------------------------------------------------|----------------|
| · <b>UN-Number</b>                                                                |                |
| · <b>DOT, ADR, ADN, IMDG, IATA</b>                                                | Not regulated  |
| · <b>UN proper shipping name</b>                                                  |                |
| · <b>DOT, ADR, ADN, IMDG, IATA</b>                                                | Not regulated  |
| · <b>Transport hazard class(es)</b>                                               |                |
| · <b>DOT, ADR, ADN, IMDG, IATA</b>                                                |                |
| · <b>Class</b>                                                                    | Not regulated  |
| · <b>Packing group</b>                                                            |                |
| · <b>DOT, ADR, IMDG, IATA</b>                                                     | Not regulated  |
| · <b>Environmental hazards:</b>                                                   | Not applicable |
| · <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:</b> | Not applicable |
| · <b>Special precautions for user:</b>                                            | Not applicable |
| · <b>UN "Model Regulation":</b>                                                   | Not regulated  |

## 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**  
No further relevant information available.
- **Sara**

### · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

### · Section 313 (Specific toxic chemical listings):

1336-21-6 ammonia

### · TSCA (Toxic Substances Control Act):

All ingredients are listed or exempted

### · Hazardous Air Pollutants

None of the ingredients is listed.

(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS

Date of issue: 04/16/2026

Reviewed on 04/16/2026

Trade name: Attic Depot RadiantX (Component A)

(Contd. of page 5)

- **Proposition 65**

- **Chemicals known to cause cancer:**

- None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for females:**

- None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for males:**

- None of the ingredients is listed.

- **Chemicals known to cause developmental toxicity:**

- None of the ingredients is listed.

- **Carcinogenic categories**

- **EPA (Environmental Protection Agency):**

- None of the ingredients is listed.

- **TLV (Threshold Limit Value established by ACGIH):**

- None of the ingredients is listed.

- **NIOSH-Ca (National Institute for Occupational Safety and Health):**

- None of the ingredients is listed.

- **GHS label elements** Not Available

- **Hazard pictograms** Not Available

- **Signal word** Not Available

- **Hazard statements** Not Available

## 16 Other information

The information contained herein is provided in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Product use and conditions of use are beyond our control. Warranty of materials is limited to test results of product performance as detailed in certificates of compliance. Interpretation of test results is the responsibility of end-user. No other warranties, expressed or implied, are made.

- **Department issuing SDS:** Product safety department

- **Contact:** Stephen Nowicki

- **Date of previous version** 04/16/2026

- **Version number of previous version:** 1

- **Date of preparation** 04/16/2026

- **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

VOC: Volatile Organic Compounds (USA, EU)

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit